Available online at www.sciencedirect.com
ScienceDirect
Forest Ecology and Management 241 (2007) v–vi
Forest Ecology and Management
www.elsevier.com/locate/foreco

Contents

Review

The fire ecology and management of maritime pine (*Pinus pinaster* Ait.)
P.M. Fernandes (Apartado, Portugal) and E. Rigolot (Avignon, France) 1

Regular articles

Carbon sequestration in the U.S. forest sector from 1990 to 2010
P.B. Woodbury, J.E. Smith and L.S. Heath (Durham, NH, USA) 14

Shifting mosaic in maintaining diversity of floodplain tree species in the northern temperate zone of Japan
F. Nakamura, N. Shin (Sapporo, Japan) and S. Inahara (Niiza, Japan) 28

Forest fragmentation and its correlation to human land use change in the state of Selangor, peninsular Malaysia
S.A. Abdullah (Higashi-Hiroshima, Japan and Selangor Darul Ehsan, Malaysia) and N. Nakagoshi (Higashi-Hiroshima, Japan) 39

Stand-level growth models for young Scots pine stands in Finland
S. Huuskonen (Vantaa, Finland) and J. Miina (Joensuu, Finland) 49

Fire regimes and forest structure in a sky island mixed conifer forest, Guadalupe Mountains National Park, Texas, USA
J. Sakulich (Palisades, NY, USA) and A.H. Taylor (University Park, PA, USA) 62

Roles of disturbance and demographic non-equilibrium in species coexistence, inferred from 25-year dynamics of a late-successional old-growth subalpine forest
A.S. Mori, E. Mizumachi (Kyoto, Japan) and A. Komiyama (Gifu, Japan) 74

Comparison of litterfall production and leaf litter decomposition between an exotic black locust plantation and an indigenous oak forest near Yan'an on the Loess Plateau, China
R. Tateno (Kagoshima, Japan), N. Tokuchi (Kyoto, Japan), N. Yamanaka, S. Du (Tottori, Japan), K. Otsuki (Fukuoka, Japan), T. Shimamura (Uji, Japan), Z. Xue, S. Wang and Q. Hou (Shaanxi, China) 84

Microclimatic responses to different thinning intensities in a Japanese cedar plantation of northern Taiwan
S.-H. Weng (Taipei, Taiwan and Chu-Shan, Taiwan), S.-R. Kuo, B.T. Guan, T.-Y. Chang, H.-W. Hsu (Taipei, Taiwan) and C.-W. Shen (Chu-Shan, Taiwan) . . . 91

Stand structure and development of an insect-mediated boreal forest landscape
J.W. McCarthy and G. Weetman (Vancouver, Canada) 101

Long-term effects of intensive silvicultural practices on productivity, composition, and structure of northern temperate and boreal plantations in Ontario, Canada
S. Fu (Ontario, Canada and Hefei, China), F.W. Bell and H.Y.H. Chen (Ontario, Canada) 115

Long-term influence of site preparation on water-retention characteristics of forest soil in Finnish Lapland
J. Heiskanen (Suonenjoki, Finland), K. Mäkitalo and J. Hyvönen (Rovaniemi, Finland) 127

Soil organic carbon pool under native tree plantations in the Caribbean lowlands of Costa Rica
J.J. Jiménez, R. Lal (Columbus, OH, USA), H.A. Leblanc and R.O. Russo (Limón, Costa Rica) 134

Composition of coffee shade tree species and density of indigenous arbuscular mycorrhizal fungi (AMF) spores in Bonga natural coffee forest, southwestern Ethiopia
D. Muleta (Addis Ababa, Ethiopia and Uppsala, Sweden), F. Assefa, S. Nemomissa (Addis Ababa, Ethiopia) and U. Granhall (Uppsala, Sweden) 145

Early arriving saproxylic beetles (Coleoptera) and parasitoids (Hymenoptera) in low and high stumps of Norway spruce
P.O. Hedgren (Uppsala, Sweden) 155

Impact of mechanized logging on compaction status of sandy forest soils
E. Ampoorter (Gontrode, Belgium), R. Goris (Hoeilaart, Belgium), W.M. Cornelis (Ghent, Belgium) and K. Verheyen (Gontrode, Belgium) 162

Predicting wood and tracheid properties of Norway spruce
H. Mäkinen, T. Jaakkola, R. Piispanen and P. Saranpää (Vantaa, Finland) 175

The use of heuristic optimization in risk management of wind damage in forest planning
H. Zeng, T. Pukkala and H. Peltola (Joensuu, Finland) 189

Soil functional diversity and P solubilization from rock phosphate after inoculation with native or allochtonous arbuscular mycorrhizal fungi
L. Ouahmane (Marrakech, Morocco), J. Thioulouse (France), M. Hafidi (Marrakech, Morocco), Y. Prin, M. Ducousso, A. Galiana (Montpellier, France), C. Plenchette (Dijon, France), M. Kisa and R. Duponnois (Montpellier, France) 200

Stem form and branchiness of Norway spruce as a sawn timber—Predicted by a process based model
A. Kantola, H. Mäkinen (Vantaa, Finland) and A. Mäkelä (Helsinki, Finland) 209

A community analysis of sal (*Shorea robusta*) forests in the western Terai of Nepal
N. Timilsina, M.S. Ross and J.T. Heinen (Miami, FL, USA) 223

Comparison of understory plant community composition and soil characteristics in *Quercus pyrenaica* stands with different human uses
R. Tárrega, L. Calvo, E. Marcos and A. Taboada (León, Spain) 235

Impacts of forest landscape structure and management on timber production and carbon stocks in the boreal forest ecosystem under changing climate
J. Garcia-Gonzalo, H. Peltola, A. Zubizarreta Gerendiain and S. Kellomäki (Joensuu, Finland) 243
Management driven changes (1967–2005) in soil acidity and the understorey plant community following conversion of a coppice-with-standards forest
H. Van Calster (Leuven, Belgium), L. Baeten, A. De Schrijver (Gontrode, Belgium), L. De Keersmaeker (Geraardsbergen, Belgium), J.E. Rogister (Overijse, Belgium), K. Verheyen (Gontrode, Belgium) and M. Hermy (Leuven, Belgium) 258
Breeding bird response to riparian forest management: 9 years post-harvest
J. Hanowski, N. Danz and J. Lind (Duluth, MN, USA) 272
Morphological plasticity in seedlings of three deciduous species under shelterwood under-planting management does not correspond to shade tolerance ranks
A. Paquette, A. Bouchard and A. Cogliastro (Québec, Canada) 278
Response of a native bamboo [*Arundinaria gigantea* (Walt.) Muhl.] in a wind-disturbed forest
P.R. Gagnon, W.J. Platt and E.B. Moser (Baton Rouge, LA, USA) 288
Self-thinning dynamics in a balsam fir (*Abies balsamea* (L.) Mill.) insect-mediated boreal forest chronosequence
J.W. McCarthy and G. Weetman (Vancouver, Canada) 295

Vol. 241
Iss. 1 - 3
MAR 30
2007